HOMEOPATHIC APPROACH TO AUTISM



Homeopathy for Everyone

ISSN : 2581-5644

Vol. 22, Issue 2, 2025 Feb.

75,000+ Subscribers

World's No.1 Homeopathic Journal!

characteristic of autism

Communication

Behavior

Sociability

1/36 ← 2025 → 1/31

1960: 1/ 10,000

multiplication of vaxx since 1987



Source: https://www.cdc.gov/vaccines/schedules/hcp/schedule-related-resources.html

US: 2025: 1/31.....1/18

Autism Prevalence

United States 1970s - 2023



1970: 1/10,000

While correlation does not necessarily indicate causation, it is clear that something is wrong and that the healthcare system is moving in the wrong direction.

The only way to stop these worrying trends is to investigate all possible causes.

The United States has the highest rate of chronic diseases (and autism) in the world.

Possibles causes:

1) Chimical in environment
2) Chimical in food
3) multiplication of vaccines

Vaccine suspicion

- Labs
- Governements
- Justice system

- Corrolation between increase in vaccines and increase in autism

- Parents report

- Result from vaxx detox

Vaxx?

TINUS SMITS

ROBERT KENNEDY JR



ISAAC GOLDEN



- **VACCINATION**, Ailment from: acon.[8], **ant-t.**[2+7'], **apis.**[2+7'], *arg-n.*, *ars.*, **bar-c.**, **bell.**[8'], *bry.*, bufo.[7], **calc.**, *calc-p.*, *carb-v.*, **carc.**[78'], **caust.**, **cham.**, **cocc.**, crot-h.[8], **diph.**, **dpt.**, echi., **euphr.**, **gardasil.**, **gels.**, **hep.**, **hepatit-b.**, *hib.*, *hyos.*, **hyper.**, **infl.**, kali-chl., *kali-m.*[2+7], **lach.**, **led.**, *lyc.*, **lyss.**, **maland.**, *med.*, *men.*, *merc.*[8], **mez.**[7], **mmr.**, **morbill.**, *nat-m.*, **nit-ac.**, *nux-v.*, *ped.*[7], **pert.**, *phos.*, *psor.*[7], **puls.**, **sabad.**, sabin.[2+7], **sars.**[7], sep.[8], **sil.**, *stram.*, **sulph.**, **thuj.**, **tub.**[2+7'], **vac.**[7], **vario.**[7'], **zinc.**

- **AUTISM, vaccination**, from: **A**lum., anac., *bar-c.*[-2], **B**ufo.[-2], cann-i., cann-s., **carc.**[-2], **dpt.**[-2'], **hepatit-b.**, ***H****ib.*, **H**pv., hyos., **L**ed.[-2], lyc., **M**ed., ***M****en.*, **merc.**[-2'], **mmr.**[-2], *nat-m.*, op., *sil.*[-2], stram., **S**yph., *thuj.*[-2], tub., ***V****ac.*


Général
Modules
Options
Aide
A AUTISME 1 Dossier
Auto
x•y
Carc
Mmr
Dpt
Hepatit-b
Calc-p
Nat-m
Sil
Bar-c
Bell
Calc
Caust
Sulph
Phos
Hib
Thuj
Vac
Men
Tub
Cham
Hyos
Med
Stram
V 14 11 11 11 11 8 8 8 8 8 8 8 8 7 7 7 7 7 7 7 7 7 7
O 4 3 3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
D 10 9 9 8 5 5 5 4 4 4 4 4 3 4 5 4 3 6 5 5 5 5 5
4 GE : VACCINATION, suite de 4 4 4 3 2 2 4 3 3 3 3 3 2 2 4 3 2 3 3 2 2 2
3 PSY : HYPERACTIVITÉ / enfants, chez les 3 1 2 2 2 2 1 1 1 3 2 3 3 3
4 PSY : PARLER / lent à apprendre à 1 4 3 3 1 3 1 1 1 1 1 1 1
3 PSY : AVERSION / jouer / mutisme, caractère : 2
4 PSY : COMPAGNIE / aversion / étrangers, pour la p 2 2 2


A AUTISME 1 Dossier
Auto
x•y
Dpt Mmr Carc Cham Tub Cina Calc-p Sil Nat-m Ars Hepatit-b Hyos Med Calc Lyc Stram Nux-v Puls Thuj Zinc
V 23 17 17 16 16 12 17 14 14 13 11 10 10 14 13 13 10 10 10 10
O 7 5 5 5 5 4 5 4 4 4 3 3 3 4 4 4 3 3 3 3
D 19 13 13 13 13 10 9 9 8 8 8 8 8 7 7 7 7 7 6 6
4 GE : VACCINATION, suite de 4 4 4 3 3 2 4 2 2 3 2 2 3 2 2 2 2 3 4
3 PSY : HYPERACTIVITÉ / enfants, chez les 2 1 3 2 3 2 2 2 2 3 3 3 2 1
4 PSY : PARLER / lent à apprendre à 3 4 1 1 1 3 3 1
3 PSY : AVERSION / jouer / mutisme, cara 2
3 PSY : IRRITABILITÉ / enfants, chez les 3 3 2 3 2 2 1 1 1 1
3 PSY : FRAPPER / enfants, chez les 3 1 3 2 3 2
3 PSY : CRIER / enfants, chez les 2 2 3 2 2 1 2 1
3 PSY : OBSESSIONS, compulsions 2 3 3 2 2 3 3 3 2 1 3 3 1
4 PSY : COMPAGNIE / aversion / étrangers, pc 1 2 2

Psychic symptoms

LANGAGE	HYPERACTIVITY	IRRITABILITY
ANXIETY	OBSESSIONS COMPULSIONS	PHOBIA
BITTING STRIKING SCREAMING	SOCIABILITY	LEARNING SKILS CONCENTRATION

Generals symptoms

CONSTIPATION

PARASITES

ALLERGIES

WEAKNESS
COORDINATION

SCOLIOSIS
SQUINT

FOOD
CRAVING

20 important homeopathic remedies

NAT MUR	SILICEA	MERCURIUS	LYCOPODIUM	ARSENICUM
STRAMONIUM	BARYTA CARB	CUPRUM	ZINCUM	CINA
MEDORRH	TUBERCUL	THUYA	HYOSCIAMUS	SULFUR
MMR	DTP	CARCINO	HEPATITE B	MENINGITIS

Prescription technique 3-3-3

**(3 months
3 remedies
3 potencies)**

MONTH 1: ROR

1.200 200 200 200 200 200 200
2.1000 1000
3.10,000
4.OBSERVATION

MONTH 2: LYCOPODIUM

1.200 200 200 200 200 200 200
2. 1000 1000
3. 50,000
4. OBSERVATION

MONTH 3: MERCURIUS SOL

1. 200 200 200 200 200 200 200
2. 1000 1000
3. 10,000
4. OBSERVATION

MONTH 1: ROR

1.200 200 200 200 200 200 200
2.1000 1000
3.10,000
4.OBSERVATION

MONTH 2: LYCOPODIUM

1.200 200 200 200 200 200 200
2. 1000 1000
3. 50,000
4. OBSERVATION

MONTH 3: MERCURIUS SOL

1. 200 200 200 200 200 200 200
2. 1000 1000
3. 10,000
4. OBSERVATION

MONTH 4, WEEK 1: Best remedy/best result

Résults

records from 1985 to 1999 not retained).

Decades	#	T1	T2	T3	T4	T5	Sum
1985 to 1999	101	10.4%	26.9%	10.4%	4.5%	47.8%	100.0%
2000 to 2009	183	19.7%	43.2%	5.3%	2.3%	29.5%	100.0%
2010 to 2019	333	28.3%	43.0%	5.4%	0.7%	22.6%	100.0%
2020 to 2022	201	37.8%	40.4%	3.2%	0.6%	17.9%	100.0%

T1 = highly effective; T2 = effective; T3 = ineffective; T4 = worse;

T5 = Uncertain – some improvements and some aggravations.

Some mapped vaccine profiles follow:

T6 = no response - not included in the analysis.

Copyright 2025, Dr Isaac Golden

(T1-T2)

Communication	5%
Behavior	15%
Sociability	15%

(T1-T2)

Communication	10-15%
Behavior	20-40%
Sociability	20-40%

Importance of other approaches

REFLECTION:
A certain vision of autistic children